



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/897,798	07/02/2001	Carol A. Westbrook	21726/92526	1256
23644	7590	05/04/2004	EXAMINER	
BARNES & THORNBURG P.O. BOX 2786 CHICAGO, IL 60690-2786			MARTINELL, JAMES	
			ART UNIT	PAPER NUMBER
			1631	

DATE MAILED: 05/04/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES PATENT AND TRADEMARK OFFICE

SERIAL No. 09/897798

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
P.O. Box 1450  
ALEXANDRIA, VA 22313-1450  
www.uspto.gov

Paper No.

## Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment document filed on 2/3/04 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). In order for the amendment document to be compliant, correction of the following item(s) is required. **Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted.** 37 CFR 1.121(h).

THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
  - ☐ B. New paragraph(s) should not be underlined.
  - ☒ C. Other The amendments to the specification do not replace full paragraphs (37 CFR 1.121 (b) (1) (i) - (iii)).  
The (C) submission does not comply with 37 CFR 1.52(e) (3) (i) (ii), (4), (5) because 2 copies (iii) were not submitted, there is no "no new matter" statement, there is no information on computer front.
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
  - ☐ B. Other \_\_\_\_\_
- ☐ 3. Amendments to the drawings: \_\_\_\_\_
- ☐ 4. Amendments to the claims:
- ☐ A. A complete listing of all of the claims is not present.
  - ☐ B. The listing of claims does not include the text of all claims (including withdrawn claims)
  - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified.
  - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
  - ☐ E. Other: \_\_\_\_\_

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officellier.pdf>.

If the non-compliant amendment is a **PRELIMINARY AMENDMENT**, applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and **this ONE MONTH time limit is not extendable.**

If the non-compliant amendment is a reply to a **NON-FINAL OFFICE ACTION (including a submission for an RCE)**, and since the amendment appears to be a *bona fide* attempt to be a reply (37 CFR 1.135(c)), applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).**

If the amendment is a reply to a **FINAL REJECTION**, this form may be an attachment to an Advisory Action. **The period for response to a final rejection continues to run from the date set in the final rejection**, and is not affected by the non-compliant status of the amendment.

James Martinell  
Legal Instruments Examiner (LIE) for

571-272-0549  
Telephone No.